

High-Downforce Front Splitter Endplates – Mk5 Toyota Supra

Install Manual



Author: Tom Lang Release Date: 2023/02/21 Approvals: C. Warner

Document Revisions

Rev	Date	Author	Description
01	2023/02/21	T. Lang	Initial release of install manual
02	2024/07/29	P. Landolt	Drill bit size updated



High Downforce Splitter Endplate, Toyota Supra – Install Manual

CONTENTS

1.	Introduction	<3
	1.1. Overview	<3
	1.2. Difficulty	
	1.3. Time Required	
	1.4. Tools Needed	
	1.5. Splitter Endplate Components	<3
2.	Splitter Endplate Install	



High Downforce Splitter Endplate, Toyota Supra – Install Manual

1. Introduction

- **1.1. Overview:** Detailed instructions on installing the Verus Engineering High Downforce Splitter Endplate for the Toyota Supra.
- 1.2. Difficulty: Easy
- 1.3. Time Required: .5 hour
- 1.4. Tools Needed:
- **1.4.1.** Pliers
- **1.4.2.** 2.5mm Allen Key or Socket
- **1.4.3.** 3/16 or 5mm Drill bit
- **1.4.4.** Drill



1.5. Splitter Endplate Kit Components

1.5.1. (2) Splitter Endplate

1.5.2. Hardware Bag

- **1.5.2.1.** (6) M4 x .7 Nyloc Nut
- **1.5.2.2.** (6) M4 x .7 x 16mm Long BHCS (Button Head Cap Screw), Stainless Steel
- **1.5.2.3.** (6) M4 Fender Washer, Stainless Steel





High Downforce Splitter Endplate, Toyota Supra – Install Manual

2. Toyota Supra High Downforce Splitter Endplate Install

- **2.1.** Verus Engineering is not responsible for damage to you or your vehicle by following this manual and/or installing Verus Engineering products.
- **2.2.** We begin by gaining access to underneath the car. Jack the car up, and support it safely.
- **2.3.** Locate the three partially pre-drilled holes on both outside edges of the splitter blade, and finish drilling them with the 3/16" or 5mm drill bit.



2.4. Press the M4 Nyloc nuts into the endplates as shown. Using a pair of pliers will help.





High Downforce Splitter Endplate, Toyota Supra – Install Manual



2.5. Set the endplate on the splitter where it will be installed. Make sure the endplate is flush with the edges of the splitter. If the endplate makes contact with the bumper before you can achieve a flush fitment, try loosening the rear splitter-to-bumper bolt, and pushing the bumper inward until the endplate is flush.





High Downforce Splitter Endplate, Toyota Supra – Install Manual

2.6. Once everything fits correctly, use three 16mm long M4 x .7 BHCS and fender washers to thread through the splitter into the pressed in nyloc nuts in the endplates. Tighten a half turn past bottom.



- **2.7.** Repeat the process for the opposite side.
- **2.8.** Congratulations on installing the Verus Engineering High Downforce Splitter Endplate Kit for the Toyota Supra.
- **2.9.** Please send any questions, comments, concerns, or photos to Verus Engineering via e-mail; sales@verus-engineering.com.

