



VERUS ENGINEERING

Front Splitter Endplates – VB Subaru WRX Install Manual



Author: Eric Hazen
Release Date: 2024/10/09
Approvals: C. Warner

Document Revisions

Rev	Date	Author	Description
01	2024/10/09	E. Hazen	Initial release of install manual

Splitter Endplate, VB Subaru WRX – Install Manual

CONTENTS

1. Introduction	<3>
1.1. Overview	<3>
1.2. Difficulty	<3>
1.3. Time Required	<3>
1.4. Tools Needed	<3>
1.5. Splitter Endplate Components	<3-4>
2. Splitter Endplate Install	<4-7>

Splitter Endplate, VB Subaru WRX – Install Manual

1. Introduction

1.1. Overview: Detailed instructions on installing the Verus Engineering Splitter Endplate for the VB Subaru WRX.

1.2. Difficulty: Easy

1.3. Time Required: .5 hour

1.4. Tools Needed:

- 1.4.1. Center Punch
- 1.4.2. 2.5mm Allen Key, T-Handle, or Socket
- 1.4.3. 3/16 or 5mm Drill bit
- 1.4.4. Drill
- 1.4.5. Pliers (Optional)

**1.5. Splitter Endplate Kit Components**

1.5.1. (1) LH Splitter Endplate

1.5.2. (1) RH Splitter Endplate

1.5.3. Hardware Bag

1.5.3.1. (6) M4 x 0.7 Nyloc Nut

1.5.3.2. (6) M4 x 0.7 x 20mm Long BHCS (Button Head Cap Screw), Stainless Steel

1.5.3.3. (6) M4 Fender Washer, Stainless Steel

Splitter Endplate, VB Subaru WRX – Install Manual



2. VB Subaru WRX Splitter Endplate Install

- 2.1. Verus Engineering is not responsible for damage to you or your vehicle by following this manual and/or installing Verus Engineering products.
- 2.2. We begin by getting access to where we are working, which is the trailing edge of the splitter on each side of the vehicle.
- 2.3. Using the supplied endplate as a template, line the endplate up with the splitter and then mark the (3) holes by using a center punch, marker, or combination of the two.



Confidential: Property of Verus Engineering. Not for Distribution outside intended recipient list.

Splitter Endplate, VB Subaru WRX – Install Manual

2.4. With the holes center punched, as shown below. We can then drill the holes out.



2.5. Image below shows the holes center punched.



2.6. At this point, we install the M4 nyloc nuts into the print. We were able to do this with our fingers but use of pliers can be necessary as shown below.

Splitter Endplate, VB Subaru WRX – Install Manual



Confidential: Property of Verus Engineering. Not for Distribution outside intended recipient list.

Splitter Endplate, VB Subaru WRX – Install Manual

- 2.7. Now we can install the endplates with the supplied BHCS and washers as shown below. Do not over tighten, the nuts are nyloc and will resist backing off. A few ft-lbs is all that is needed as long as you are into the nylon locking feature of the nut.



- 2.8. Repeat the process for the opposite side.
- 2.9. Congratulations on installing the Verus Engineering Splitter Endplate Kit for the VB Subaru WRX!
- 2.10. Please send any questions, comments, concerns, or photos to Verus Engineering via e-mail; sales@verus-engineering.com.

